INDEX TO BRITTONIA VOLUME 56 (2004)

Compiled by Thomas A. Zanoni

All new plant taxa, new combinations, or lectotypifications are indicated by **boldface** type. Authors and titles of article published in this volume are included in this index; no separate, complete list of authors and titles is provided. Personal names are listed only when new taxa are based on them (eponyms) or when the article contains substantial information about the person. Countries are cited only for types of new taxa, or for range extensions, or when mentioned in the title of an articles, or when the article contains substantial information about a country. Plant names of associated species from the vegetation are not included here.

Acanthoscyphus, 301
Acevedo-Rosas, Raúl, Victoria Sosa & Francsico G. Lora: Phylogenetic relationships and morphological patterns in *Graptopetalum* (Crassulaceae), 185–194
Acrorchis, 58; *roseola*, 59, 60, 62
Adipe, 314–316, 318; *aureofulva*, 320; *charlesworthii*, 325; *clavbigera*, 325; *leucorrhoda*, 316, 330; *leucorrhoda* var. *machaheensis*, 330; *longicornis*, 331; *melanopoda*, 343; *racemosa*, 314, 318, 334; *stefanae*, 336; *villosula*, 325
Adiantum capillatum, 82–84; *tetraphyllum*, 82, 84; *trichochlaenum*, 84
Aguilar-Ortigoza, Carlos, Victoria Sosa & Guillermo Angeles: Phylogenetic relationships of three genera in Anacrdiaceae: *Bontiella*, *Pseudosmodingium*, and *Smodingium*, 169–184
Aloina, 291; *captillum*, 291; *recurvipatula*, 291; *rigida*, 291; *rigida* var. *rigida*, 291; *roseae*, 291; *sedifolia*, 291
Aloinella, 291, 292; *andina*, 292; *boliviana*, 293; *catenula*, 292, 293; *cucullatifolia*, 292, 293; *cucullifera*, 293; *galeata*, 292; **galeata var. andina, 292,** 293; *galeata* var. *galeata*, 292, 293; *venezuelana*, 293
Amaral, M. do C. E., *see* S. Koehler
Amorim, André M.: A new species of *Heteropterys* (Malpighiaceae) from the semideciduous forests of Bahia, Brazil, 143–146
Anacardiaceae, 169–194; Anacardieae, 170; Dobineae, 170; Rhoeae, 170; Semecarpeae, 170; Spondiadieae, 170
Anacardium, 170, 176
Anderson, William R., 146
Androsace capillaris, 253 (lectotypification); *filiformis*, 253
Angeles, G.: *see* C. Aguilar-Ortigoza
Apocynaceae, 307; tribe Malouetieae, 307
Arabis, 234; *confinis* var. *brachycarpa*, 245; **drummondii var. brachycarpa, 245 (lectotypification)**; *harrisonii*, 246; *inyoënsis*m 246; *pendulina*, 246; *perennans* var. *thorneae*, 246
Araceae, Monsteroideae, 72
Araliaceae, 357
Arctostaphylos patula, 252, 253 (lectotypification)
Areca, 375, 378
Arecaceae, 375; fruit anatomy, 375–379; tribe Areceae subtribe Archontophoenicinae, 375; tribe Areceae subtribe Arecinae, 375, 378; tribe Areceae subtribe Cyrtostachydinae, 375–379; tribe Areceae subtribe Iguanurinae, 375; tribe Areceae subtribe Linospadicinae, 375; tribe Areceae subtribe Ptychospermatinae, 375
Argentina, 285, 291
Arreola-Nava, Hilda Julieta & Teresa Terrazas: *Stenocereus zopilotensis* Arreola-Nava and Terrazas (Cactaceae), a new species from Mexico, 96–100
Aspleniaceae, 124
Asplenium, 124; sect. *Hymenasplenium*, 124; **basiscopicum, 124,** 125, 127; *purpurascens*, 126, 127
Astronium, 170
Athyrium palmense, 115; *skinneri*, 115; **tejeroi, 199 (nom. novum)**; **tripinnatum, 115,** 116, 199
Aucuba, 275, 278; *japonica*, 276, 277
Aucubaceae, 275
award, Rupert C. Barneby, 199
Barneby, Rupert C., 69, 199
Barringer, Kerry: A revision of *Gibsoniothamnus* L. O. Williams (Schlegeliaceae), 213–237
Batista, João A. N. & Luciano B. Bianchetti: Three new taxa of *Cyrtopodium* (Orchidaceae) from central and southeastern Brazil, 260–274
Begonia, 75; *acida*, 80; **calvescens, 75**–78; **espiritosantensis, 78**–80; *hilariana*, 77; **ibitiocensis,** 78, **80,** 81; *kuhlmannii*, 81; *santoslimae*, 81; *scharfii*, 77; *schenckii* var. calvescens, 75; *squamipes*, 77; *subacida*. 80
Begoniaceae, 75
Berg, C. C.: A new genus of *Ficus* (Moraceae) of uncertain provenance, 54–57; Two new species of *Pourouma* (Cecropiaceae) from South America, 255–259
Bernacci, Luis C.: *see* F. A. Vitta
Bianchetti, Luciano B.: *see* J. A. N. Batista
Bifrenaria, 314–345; *albiflora*, 343; *atropurpurea*, 314, 315, 319–322; *atropurpurea* var. *caparqoensis*, 319; **aurea,** 320, **327 (lectotypification)**; *aureofulva*, 316, 317,. 319–323, 344; *aurantiaca*, 314; **barbosae, 323 (lectotypification)**; *bella*, 343; *bicornaria*, 343; **calcarata,** 319, 321, **323 (lectotypification),** 324, 338; *caparaoensis*, 319, 320: *charlesworthii*, 316, 319, 321, 323, 324, 334, 336, 343; *chloroleuca*, 343; *clavigera*, 319, 321, 325–327; *flo-*

INDEX TO BRITTONIA VOLUME 56 (2004)

Compiled by Thomas A. Zanoni

All new plant taxa, new combinations, or lectotypifications are indicated by **boldface** type. Authors and titles of article published in this volume are included in this index; no separate, complete list of authors and titles is provided. Personal names are listed only when new taxa are based on them (eponyms) or when the article contains substantial information about the person. Countries are cited only for types of new taxa, or for range extensions, or when mentioned in the title of an articles, or when the article contains substantial information about a country. Plant names of associated species from the vegetation are not included here.

Acanthoscyphus, 301
Acevedo-Rosas, Raúl, Victoria Sosa & Francsico G. Lora: Phylogenetic relationships and morphological patterns in *Graptopetalum* (Crassulaceae), 185–194
Acrorchis, 58; *roseola*, 59, 60, 62
Adipe, 314–316, 318; *aureofulva*, 320; *charlesworthii*, 325; *clavbigera*, 325; *leucorrhoda*, 316, 330; *leucorrhoda* var. *machaheensis*, 330; *longicornis*, 331; *melanopoda*, 343; *racemosa*, 314, 318, 334; *stefanae*, 336; *villosula*, 325
Adiantum capillatum, 82–84; *tetraphyllum*, 82, 84; *trichochlaenum*, 84
Aguilar-Ortigoza, Carlos, Victoria Sosa & Guillermo Angeles: Phylogenetic relationships of three genera in Anacrdiaceae: *Bontiella*, *Pseudosmodingium*, and *Smodingium*, 169–184
Aloina, 291; *captillum*, 291; *recurvipatula*, 291; *rigida*, 291; *rigida* var. *rigida*, 291; *roseae*, 291; *sedifolia*, 291
Aloinella, 291, 292; *andina*, 292; *boliviana*, 293; *catenula*, 292, 293; *cucullatifolia*, 292, 293; *cucullifera*, 293; *galeata*, 292; **galeata var. andina, 292,** 293; *galeata* var. *galeata*, 292, 293; *venezuelana*, 293
Amaral, M. do C. E., *see* S. Koehler
Amorim, André M.: A new species of *Heteropterys* (Malpighiaceae) from the semideciduous forests of Bahia, Brazil, 143–146
Anacardiaceae, 169–194; Anacardieae, 170; Dobineae, 170; Rhoeae, 170; Semecarpeae, 170; Spondiadieae, 170
Anacardium, 170, 176
Anderson, William R., 146
Androsace capillaris, 253 (lectotypification); *filiformis*, 253
Angeles, G.: *see* C. Aguilar-Ortigoza
Apocynaceae, 307; tribe Malouetieae, 307
Arabis, 234; *confinis* var. *brachycarpa*, 245; **drummondii var. brachycarpa, 245 (lectotypification)**; *harrisonii*, 246; *inyoënsis*m 246; *pendulina*, 246; *perennans* var. *thorneae*, 246
Araceae, Monsteroideae, 72
Araliaceae, 357
Arctostaphylos patula, 252, 253 (lectotypification)
Areca, 375, 378
Arecaceae, 375; fruit anatomy, 375–379; tribe Areceae subtribe Archontophoenicinae, 375; tribe Areceae subtribe Arecinae, 375, 378; tribe Areceae subtribe Cyrtostachydinae, 375–379; tribe Areceae subtribe Iguanurinae, 375; tribe Areceae subtribe Linospadicinae, 375; tribe Areceae subtribe Ptychospermatinae, 375
Argentina, 285, 291
Arreola-Nava, Hilda Julieta & Teresa Terrazas: *Stenocereus zopilotensis* Arreola-Nava and Terrazas (Cactaceae), a new species from Mexico, 96–100
Aspleniaceae, 124
Asplenium, 124; sect. *Hymenasplenium*, 124; **basiscopicum, 124,** 125, 127; *purpurascens*, 126, 127
Astronium, 170
Athyrium palmense, 115; *skinneri*, 115; **tejeroi, 199 (nom. novum)**; **tripinnatum, 115,** 116, 199
Aucuba, 275, 278; *japonica*, 276, 277
Aucubaceae, 275
award, Rupert C. Barneby, 199
Barneby, Rupert C., 69, 199
Barringer, Kerry: A revision of *Gibsoniothamnus* L. O. Williams (Schlegeliaceae), 213–237
Batista, João A. N. & Luciano B. Bianchetti: Three new taxa of *Cyrtopodium* (Orchidaceae) from central and southeastern Brazil, 260–274
Begonia, 75; *acida*, 80; **calvescens, 75**–78; **espiritosantensis, 78**–80; *hilariana*, 77; **ibitiocensis,** 78, **80,** 81; *kuhlmannii*, 81; *santoslimae*, 81; *scharfii*, 77; *schenckii* var. calvescens, 75; *squamipes*, 77; *subacida*. 80
Begoniaceae, 75
Berg, C. C.: A new genus of *Ficus* (Moraceae) of uncertain provenance, 54–57; Two new species of *Pourouma* (Cecropiaceae) from South America, 255–259
Bernacci, Luis C.: *see* F. A. Vitta
Bianchetti, Luciano B.: *see* J. A. N. Batista
Bifrenaria, 314–345; *albiflora*, 343; *atropurpurea*, 314, 315, 319–322; *atropurpurea* var. *caparqoensis*, 319; **aurea,** 320, **327 (lectotypification)**; *aureofulva*, 316, 317,. 319–323, 344; *aurantiaca*, 314; **barbosae, 323 (lectotypification)**; *bella*, 343; *bicornaria*, 343; **calcarata,** 319, 321, **323 (lectotypification),** 324, 338; *caparaoensis*, 319, 320: *charlesworthii*, 316, 319, 321, 323, 324, 334, 336, 343; *chloroleuca*, 343; *clavigera*, 319, 321, 325–327; *flo-*

ribunda, 343; **fragrans, 367 (lectotypification)**; *harerisoniae,* 315–317, 321, 326–328, 330, 340; *harrisoniae* var. *alboplena,* 327; **harrisoniae f. angustior, 327 (lectotypifiction)**; *harrisoniae.* var. *flavopurpurea,* 327; *harrisoniae* var. *insularis,* 327; *harrisoniae* var. *minor,* 327; *inodora,* 315, 316, 319, 321, 328–330, 340; *leucopetala,* 343; *leucorrhoda,* 319, 321, 329–331; *leucorrhoda* var. *macaheensis,* 330, 331; *lindmaniana,* 343; **longicornis,** 315, 316, 319, 327, **331 (lectotypification)**–333; *magnicalcarata,* 338, 340; *maguirei,* 343; *melanopoda,* 343; *mellicolor,* 319, 321, 332–334; *parvula,* 343; *petiolaris,* 343; *pickiana,* 343; *picta,* 343; *racemosa,* 319, 321, 325, 334–336, 343; *rudolfi,* 343; **sabulosa, 331 (lectotypification);** *secunda,* 320; *silvana,* 319, 321, 334–336; *stefanae,* 316, 319, 321, 336, 337; *steyermarkii,* 343; *tetragona,* 315–318, 321, 323, 337, 338; **tetragona var. rupicola, 338 (lectotypification)**; *tetragona* var. *umbrophila,* 338; *tyrianthina,* 315, 317, 319–321, 330, 388–340, 344; *tyrianthina* var. *albescens,* 327; *tyrianthina* var. *magnicalcarata,* 338; *verboononii,* 344; *venezuelana,* 316, 319, 333, 339–341; *villosula,* 325; *vinosa.* 344; *vittelina,* 319, 321, 336, 341–343; *vitellina* var. *leucorrhodia* [sic], 344; *wageneri,* 344; *wendlandiana,* 325; *wittingii,* 315, 317, 319, 321, 341–343

Bignoniaceae, 213–215

Björk, Curtis R, *see* J. L. Reveal

Boechera brachycarpa, 245; **demissa var. pendulina, 246**; *divaricarpa,* 245; **microphylla var. harrisonii, 246**; *pendulina,* 246; **selbyi var. inyoënsis, 246; selbyi var. thorneae, 246**

Bolivia, 84, 124, 201, 203, 210

Bonetiella, 169–184; *anomala,* 170, 176, 179, 183

book reviews: P. Acevedo-Rodríguez, **Bejucos y plantas trepadoras de Puerto Rico e Islas Virgenes,** 381, 382; Gao Chien & M. R. Crosby (editors), **Moss Flora of China, English Version. Volume 3. Grimmiaceae–Tetraphidaceae,** 101; Hall, Ian. R., et al., **Edible and Poisonous Mushrooms of the World,** 150; B. Klitgaard & A. Bruneau (editors), **Advances in legume systematics Part 10–Higher level systematics,** 382, 383; M. F. Large &J. E. Graggins, **Tree ferns,** 383, 384; Stevens, W. D., C. Ulloa Ulloa, A. Pool & O. M. Moniel (editors), **Flora de Nicaragua,** 101, 102; de Vienne, D., **Molecular Markers in Plant Genetics and Biotechnology,** 294; Williams, Roger L., **A Region of Astonishing Beauty": The Botanical Exploration of the Rocky Mountains,** 195–197; B.-E. van Wyk & M. Wink, **Medicinal plants of the world: An illustrated scientific guide to important medicinal plants and their uses,** 381

books received, 100, 194, 380

Brachionidium, 63

Brassicaceae, 103, 107, 238, 245–248

Braya, 238, 239; *glabella,* 239; *humilis,* 239; **oregonensis, 245 (lectotypification)**

Brazil, 72, 75, 78, 89, 89, 143, 147, 260, 269, 273, 288, 307, 354, 357

Briegeria, 59

Bruniaceae, 282

Bryopsida, 291

Buchanania, 170

Bursera, 171, 173–176, *simaruba,* 171, 173, 183

Burseraceae, 169, 171, 173

Byrnesia, 185

Cactaceae, 96

Callipteris, 121; *ceratoplepis,* 123

Campnosperma, 170

Cardamine multifolia, 245 (lectotypification); *pensylavanica,* 245

Cardenasiodendron, 170, 171, 173–176; *brachypterum,* 171, 183

Carlquist, Sherwin: *see* E. L. Schneider

Carrieré, Elie-Abel, 365–374

Castillo, A., *see* G. G. Roitman

Caulanthus pilosus, 245 (lectotypification)

Cecropiaceae, 255

Charianthus, 151, 164; *alpinus,* 164; **dominicensis,** 152, **153**–156, 158; **grenadensis,** 155, **156**–158; *purpureus,* 151, 153, 155, 157, 158; *purpureus* var. *brevisetosus,* 156; *purpureus* var. *rugosus,* 153, 154

Cheiranthus nivalis, 246; *nivalis* var. *amoenus,* 247; *nivalis,* var. *nivalis,* 247

Chiarini, Franco Ezequiel: A new species of *Solanum* subgen. *Leptostemonum* (Solanaceae) from Argentina, 284–287

Choerospondias, 170

Chorizanthe, 300, 301

Cissus, 288, 290; *campestris,* 288, 290; *nobilis,* 290; *pulcherrima,* 290; *tinctoria,* 290; *ursina,* 290; *verticillata,* 288, 290; **xerophila, 288**;

Cladobium violaceum, 65

Cleomaceae, 103

Cleomella, 103, 106; key, Intermountain West, U.S.A., 104; *brevipes,* 104; *grandiflora,* 105; **hillmanii, 103 (lectotypification),** 104–106, key to varieties, 104, 105; **hillmanii var. goodrichii, 105,** 106; *hillmanii* var. *hillmanii,* 104–106; *longipes,* 103; **longipes var. grandiflora, 103,** 104; *macbrideana,* 104, 105; *obtusifolia,* 103–106; *palmeriana,* 104–106; *palmeriana* var. *goodrichii,* 105, 106; *parviflora,* 104; *plocasperma,* 104, 106

Clerodendron, 213, 221, 224; *epiphyticum,* 223; *moldenkeanum,* 213, 224; *mimicum,* 220, 222; *pithecobium,* 213, 222

Clusiaceae, 132, 253

Coccoloba subcordatum, 52

Coelia bella, 343

Colax parvula, 343

Colombia, 87

Coprosmanthus, 167

Cornaeae, 275

Cornales, wood anatomy, 275–283

Corokia, 278

Cornus glabrata, 276, 278 279; *stolonifera,* 276, 278, 279

Costa Rica, 200, 209

Costaricaea, 59, 65; *amparoana,* 65

Cotinus, 170, 171, 173–176, 180; *carranzae,* 171, 183

Cotyledon, 1186

Crassulaceae, 185, 193; subfam. Echeverioideae, 185

Croton, 353; sect. *Barhamia,* 354; sect. *Medea,* 354; sect. *Micranthis,* 354; sect. *Podostachys,* 354; **dissectistipulatus,** 353, **354**–356; *timandroides,* 354, 356

Cusickiella douglasii, 245

Cyathea, 210; **bettinae, 210**–212; *bipinnatifida*, 212; *microphylla*, 212; *pallenscens*, 212; *ruiziana*, 212
Cyatheaceae, 210
Cydoniorchis, 315, 315, 318; *tetragona*, 318, 338
Cypella hauthalii, 361
Cyrtopodium, 260; *blanchetii*, 264–266, 268, 272; *braemii*, 264, 269; *brandonianum* 264–268; **brunneum, 260**–269; *caiapoense*, 264–266, 268; *cardiochilum*, 264; *cipoense*, 264; *cristatum*, 264, 268, 269; *dusenii*, 264; *eugenii*, 264; *facilobum*, 264; *fowliei*, 264; *gonzalezii*, 260, 264, 265, 267, 269; *hatschbachii*, 264, 272, 273; *heringeri*, 264; **lamellatocallosum,** 260, **269**–273; *latifolium*, 264; *linearifolium*, 264, 266; *lissochiloides*, 264; *pallidum*, 264, 266, 269, 272, 273; *palmifrons*, 264; *paludicola*, 264; *parviflorum*, 264, 268, 269; *poecilum*, 265–268, 272; *poecilum* f. *minor*, 264; *poecilum* var. *poecilum*, 273; **poecilum var. roseum,** 260, **273**; *saintlegerianum*, 264; *triste*, 260, 265, 268; *verum*, 264, 268; *virescens*, 264
Cyrtostachys, 375, 378; *glauca*, 376, 377; *kisu*, 376–378; *renda*, 376, 377
Cystopteris fragilis, 116, 117; *membranifolia*, 117; **millefolia, 115**–117; *reevesiana*, 117
Dalea subgen. *Parosela* sect. *Parosela*, 67, 69; ser. *Versicolores*, 69, 70; *lamprostachya*, 69–71; *lutea*, 71; *pinetorum* var. *anilantha*, 69–71; **rupertii, 67**–71; *tentaculoides*, 70, 71; *versicolor*, 67, 70, 71
Dedeckera, 300, 301
Delgadillo M., Claudio & M. Magdalena Schiavone: *Aloina* and *Aloinella* (Bryopsida, Pottiaceae) in northern Argentina, 291–293
Dendrobium harrisoniae, 327 (lectotypoification)
Descurainia incisa subsp.*filipes*, 246; **incisa var. filipes, 246**; *incisa* subsp. *paysonii*, 246; **incisa var, paysonii, 246**; *intermedia*, 245; *paradisa* subsp. *nevadensis*, 246; **paradisa var. nevadensis, 246**; *pinnata* subsp. *filipes*, 246; *pinnata* subsp. *intermedia*, 246; *pinnata* subsp. *paysonii*, 246; *pinnata* var. *filipes*, 246; *pinnata* var. *intermedia*, 246; *pinnata* var. *osmiarum*, 245; *pinnata* var. *paysonii*, 246
Diplazium, 121; *immensum*, 123; **lellingeri, 121**–123; *macrophyllum*, 123
DNA sequence of *Scaphyglottis*, 58
Dodecahema, 300
Domingoa, 59, 63
Draba, 107; **cusickii,** 107, **108 (lectotypification)**–111; *cusickii* var. *pedicellata*, 107, 109, 111; *oligosperma* var. *sphaeroides*, 110; *pedicellata*, 107–109, 111, 112; *pedicellata* var. *pedicellata*, 108, 109, 111, 112; **pedicellata var. wheelerensis,** 108, 109, 11, **113,** 114; *sobolifera*, 109; *sphaeroides*, 107–111; **sphaeroides var. cusickii, 108 (lectotypification)**; *sphaeroides* var. *sphaeroides*, 107
Dressler, Robert L., W. Mark Whitten & Norris H. Williams: Phylogenetic relationships of *Scaphyglottis* and related genera (Laeliinae: Orchidaceae) based on *nr*DNA ITS sequence data, 58–67
Dudleya, 186
Ecuador, 82, 121
Echeveria, 187; *pringlei*, 191
Elaphoglossaceae, 200
Elaphoglossum, 200; sect. *Polytrichia*, 203; sect. *Setosa*, 200, 203; *didymoglossoides*, 201; *eximium*, 203; *kessleri*, 203; **minutissimum, 200,** 201; *piloselloides*, 200, 201; **rosettum, 201**–203; **semisubulatum,** 202, **203**
Elatinaceae, 253
Elatine brachyserma, 252 (lectotypification); *californica*, 252; **williamsii, 252 (lectotypification)**
Endress, Mary E., New species of *Malouetia* (Apocynaceae): A trio from Amazonia
Epidendrum **calcaratum, 338 (lectoypification)**; *secundum*, 320, 321, 323
Ericaceae, 252, 282
Eriogonum, 295, 300, 301; subgen. *Eucycla*, 295, 301; subgen. *Eucycla* sect. *Capitata*, 295; subgen. *Ganysma*, 301; subgen. *Oligogonum*, 295; subgen. *Oregonum* sect *Divaricata*, 301; [unranked] *Puberula*, 299; sect. *Spergulina*, 301; sect. *Stipulata*, 301; *angulosum*, 301; *caespitosum*, 295; *codium*, 295; *cusickii*, 295; *inflatum*, 301; *infractum*, 300; *mancum*, 295, 296; *novonudum*, 295; *puberulum*, 299–302; *puberulum* var. *venosum*, 302; *ripley*, 295; **soliceps,** 295, **296**–302
Erysimum capitatum var. nivale, 246; *nivale*, 247; *pumilum*, 247
Erythroxylum, nomenclator, 1–53; sect. *Archerythroxylum*, 2, 34; sect. *Heterogypne*, 2; sect. *Leptogramme*, 2; sect. *Macrocalyx*, 2; sect. *Mastigophorum*, 2; sect. *Megalophyllum*, 2; sect. *Microphyllum*, 2; sect. *Pogonophorum*, 2; sect. *Rhabdophyllum*, 1; *acrobeles*, 2; *acuminatum*, 2, 3, 7; *acutifolium*, 2, 11; *acutum*, 3; *affine*, 3, 5, 8, 13, 14; *alaterifolium*, 3, 12; *alaterifolium* var. *parvifolium*, 3; *alaterifolium*, var. *pedicellare*, 3, 38; *alaterifolium* var. *suborbiculare*, 3; *albertianum*, 3, 32; *alemquerense*, 3, 4; *amazonicum*, 3, 32; *ambiguum*, 4, 20; *ambiguum* var. *heterophyllum*, 4 (lectotypification).; *amplifolium*, 4, 30, 31, 50; *amplifolium* f. *lancifolium*, 4, 31; *amplifolium* var. *diversifolium*, 51 *amplifolium* var. *myrtilloides*, 4, 15, **31 (lectotypification)**; *andrei*, 4; *americanum*, 51; *amplum*, 4; *anguifugum*, 3, 5, 24, 28; *anguifugum* var. *riparium*, 5; *areolatum*, 5, 46; *areolatum* f. *macrophyllum*, 5; *areolatum* var. *affine*, 3, 5, 13; *argentinum*, 5, **6 (lectotypification); argentinum var. calophyllum, 6 (lectotypification)**; *aristigerum*, 6, 44; *aristigerum* var. *bahiense*, 6, 7, 44; *armatum*, 6; *arrojadoi*, 7; *bahiense*, 7, 44; *baracoense*, 7; *barahonense*, 7, 32; *barbatum*, 7, 41; *belizense*, 7, 8; *bequaertii*, 7; *betulaceum*, 8 (lectotypification), 10, 41; *bezerrae*, 8; *bicolor*, 8; *blanchetii*, 3, 8; *bolivianum*, 8, 12; *bongardianum*, 8, 37; *bradeanum*, 8; *brennae*, 8; *brevipedatum*, 9; *brevipes*, 9, 24, 35, 45; *brevipes*, f. *grandifolium*, 9; *brevipes* f. *parvifolium*, 9; *brevipes* var. *spinescens*, 9, 43; *buxus*, 9, 38, 50; *caatingae*, 9; *campestre*, 9, 10, 14, 39, 49; *campestre*, var. *acutifolium*, 9; *campestre* var. *magnifolium*, 9; *campestre*, var. *obovale*, 9, 14; *campestre* var. *ovatifolium*, 10; *campinense*, 10; *carthaginense*, 10, 40, 41; *cassinoides*, 10 (lectotypification); *cataractarum*, 10; *catharinense*, 10; *catuaba*, 51; *cearense*, 8, 10, 41; *chiapense*, 10; chilpei, 10, 11, 12; *christii*, 47, 51; *cienaguense*, 11, 20; *cincinnatum*, 11, (lectotypification); *citrifolium*, 2, 11, 12, 17, 21, 30, 37; *citrifolium* var. *latifolium*, 11; *citrifolium* var. *minus*, 11, 28; *clarense*, 12; *coca*, 1, 12, 49, 51; *coca* var. *coca*, 8, 10, 12; *coca* var. *ipadu*,

12; *coca* var. *novogranatense*, 12, 33; *coca* var. *spruceanum*, 13, 33; *coelophlebium*, 13 (lectotypification), 38; *coelophlebium* var. *brevifolium*, 13 (lectotypification); *coelophlebium* var. *grisebachii*, 13, 25; *coelophlebium* var. *petiolatum*, 13, 38; *columbinum*, 13; *comosum*, 13, 32; *compactum*, 13, 41, 42; *compressum*, 13; *confusum*, 3, 5, 13, 18; *cordato-ovatum*, 13, 37; *coriaceum*, 13, 27; *costaricense*, 14, 28; *cotinifolium*, 9, 10, 14; *cryptanthum*, 14 (lectotypification); *cuatrecasasii*, 14, 22; *cumanense*, 14; *cuneifolioides*, 14; *cuneifolium*, 4, 15, 31, 48; *cuneifolium* var. *silvaticum*, 15 (lectotypification); *cuneifolium* var. *squarrosum*, 15; *cuspidifolium*, 15, 18, 24; *cyclophyllum*, 15; *daphnites*, 15, 41, 45; *daphnoides*, 12; *davidii*, 15, 36; *deciduum*, 4, **16 (lectotypification),** 21, 23, 33, 45, 46; *deciduum* var. *angustifolium*, 16, 33; *deciduum* var. *brevifolium*, 16, 33; *deciduum* var. *glaucum*, 33 (lectotypification); *deciduum* var. *opacum*, 16; *densum* 16, 27; *distortum*, 17; *distortum* var. *paraguariense*, 17, 37; *divaricatum*, 17, 48; *duckei*, 11, 17; *dumosum*, 17, 20; *durum*, 17 (lectotypification); *echinodendrum*, 7, 17, 32; *ectinocalyx*, 15, **17 (lectotypification),** 18; *ellipticum*, 15, 18, 22, 28; *engleri*, 18, 37; *eugenioides*, 13, 18; *exaltatum*, 18; *exaltatum* var. *ellipticum*, 15, **18 (lectotypification);** *exaltatum* var. *riedelianum*, 18 (lectotypification); *excelsum*, 19 (lectotypification), 40, 43, 45; *ficifolium*, 19, 29; *filipes*, 19, 28; *floribundum* 17; *fimbriatum*, 19, 39; *fiscalense*, 19, 41; *flaccidum*, 19, 47; *flavicans*, 19; *flexuosum*, 20, 38; *floribundum*, 20, 28; foetidum, 20; *frangulifolium*, 20 (lectotypification), 25; *gaudichaudii*, 20; *glaucocladum*, 20 (lectotypification), 33; *glaucum* 11, 20; *glaucum* var. *patiacum*, 21, 23; *glazioui*, 21; *gomphioides*, 11, 21; *gonocladus*, 21; *gonocladus* var. *angustifoium*, 21 (lectotypification); *gonocladus* var. *macrophyllum*, 21 (lectotypification); *gonocladus* var. *serpylllifolium*, 21, 31; *goyazense*, 16, 21; *gracilpes*, 14, 21, 34, 40; *gracilipes* var. *exareolatum*, 22, 29; *grisebachii*, 13, 22, 25; *guanchezii*, 22; *guatemalense*, 22; *hamigerum*, 18, 22; *hardinii*, 11, 22, 34; *hasslerianum*, 16, 23; *hasslerianum* f. *angustifolium*, 23; *hasslerianum* f. *ellipticum*, 23, 26; *haughtii*, 23; *havanense*, 10, 14, 23, 24, 30, 34–36, 39; *havanense* var. *continentis*, 13; *havanense* var. *haitiense*, 24; *herzogii*, 5, 24; *hondense*, 24; *horridum*, 24; *hypoleucum*, 24; *impressum*, 24, 44; *incrassatum*, 24; *intermedium*, 15, 24; *jamaicense*, 24; *kapplerianum*, 22, 25, 29; *kirkkianum*, 25, 27, 32; *kunthinum*, 20, **25 (lectotypification)**; *kunthianum* var. *angustifolium*, 3, 25; *kunthianum* var. *subsessile*, 25 (lectotypification), 47; *laetivirens*, 26; *lancifolium*, 26; *laurinum*, 26, 28; *leal-costae*, 26; *lenticellosum*, 26; *leptoneurum*, 26; *ligustrinum*, 26; *ligustrinum* var. *carajasense*, 26; *ligustrinum* var. *grandifolium*, 25, 27; *lindelieanum*, 14, 27; *lindemanii*, 27; *lineolatum*, 27; *lineolatum* var. *sanctae-martae*, 16, 17, 27; *loefgrenii*, 27; *longipes*, 27; *loretense*, 27; *lucidum*, 27, 28; *lucidum* var. *costaricense*, 14, 27, 28; *lucentum*, 28; *lygoides*, 12, 28; *macrocalyx*, 28 (lectoypification); *macrochaetum*, 28; *macrochaetum* var. *zehnteri*, 28, 51; *macrocnemium*, 28, 29; *macrophyllum* 14, 17, 27, 28, 29, 32, 43; *macrophyllum* var. *ecuadorense*, 29, 43; *macrophyllum* var. *macrocnemium*, 28, 29, 43; *macrophyllum* var. *macrophyllum*, 4, 14, 18; 19, 26–28, 32, 43, 47; *macrophyllum* var. *savannarum*, 29; *magnoliifolium*, 19, 29; *mamacoca*, 22, **29 (lectotypification)**; *mapuerae*, 25, 29; *maracasense*, 29, 40, 47; *martii*, 29, **30 (lectotypification)**; *mattossilvae*, 30; *membranaceum*, 30; *mexicanum*, 30; *micranthum*, 11, 30; *microphyllum*, 30 (lectotypification), 31, 38; *microphyllum* f. *lancifolium*, 4, 31; *microphyllum* "f. *lucida squamatum*," 31; *microphyllum* f. *myrtilloides*, 4, 15, 31; *microphyllum* f. *reticulatum*, 31; *microphyllum* f. *serpyllifoium*, 21, 31, **32 (lectotypifcation)**; *microphyllum* f. *sqaumosum*, 31; *microphyllum* f. *suberosum*, 32; *microphyllum* var. *amplifolium*, 4, 31, 50; *microphyllum* var. *angustifolium*, 30; *microphyllum* var. *cuneifolium*, 31; *microphyllum* var. *gonocldos*, 31 (lectotypification), 32; *mnicrophyllum* var. *reticulatum*, 31; *microphyllum* var. *suberosum*, 32; *mikanii*, 32; *minutifolium*, 7, 17, 32; *minutifolium* var. *cubense*, 32; *mucronatum*, 3, 13, 25, 32, 50; *mucronatum* var. *majus*, 4, 32; *multiflorum*, 32, 43; *myrsinites*, 32; *nanum*, 32; *nelson-rosae*, 33; *nitidum*, 16, 20, 33;*nitidum* var. *angustifolium*, 16, 32; *nitidum* var. *brevifolium*, 33; *nitidum* var. *glaucum*, 16, 33; *nitidum* var. *longifolium*, 16, 32, 33; *nobile*, 33; *novogranatense*, 33; *novogranatense* var. *macrophyllum*, 22, 33; *nonogranatense* var. *microphyllum*. 33, 34; *novogranatense* var. *novogranatense*, 12, 13, 34; *novogranatense* var. *tobagense*, 33, 35; *novogranatense* var. *truxillense*, 23, 34; *nummmularia*, 15, **34 (lectotypification),** *nummularia* var. *micans*, 34 (lectotypification); *obovatum*, 34; *obtusum*, 34; *occultum*, 34; *ochranthum*, 34; *opacum*, 35; *oreophilum*, 35; *orinocense*, 35, 44; *ovalifolium*, 35 (lectotypifcation); *ovatum*, 35; *ovatum* var. *angustifolium*, 9, 35; *ovatum* var. *splendens*, 35; *oxycarpum*, 36, 49; *oxypetalum*, 36; *pachyneurum*, 23, **36 (lectotypification)**; *pacificum*, 36; *pallidum*, 36, 41, 42; *panamense*, 16, 36; *paradoxum*, 18, 37; *paraense*, 11, 37; *paraguariense*, 17, 37; *parvistipulatum*, 37 (lectotypification); *passerinum*, 8, 25, 37, 49; *patens*, 2, 37; *patentissimum*, 37; *pauciflorum*, 37; *pauferrense*, 38; *pedicellare*, 3, 38; *pelleterianum*, 20, 38, 39, 51; *perpussilum*, 38; *peruvianum*, 51; *petiolatum*, 13, 38; *petrae-caballi*, 38; ×*peyritschii*, 38 (lectotypification); *plowmanianum*, 19, 39; *plowmanii*, 39; *polygonoides*, 39, 51; *popayanense*, 39; *praecox*, 38; *pringlei*, 39, 41; *pruinosum*, 39; *pulchrum*,40, 43, 50; *raimondii*, 40; *recurrens*, 22, 40; *reticulatum* 40; *revoltum*, 40; *rigidulum*, 10, 40; *rigidulum* var. *exareolatum*, 10, 40; *rimosum*, 7, 41, 46; *roigii*, 41; *roraimae*, 41, 48; *rosuliferum*, 8, 10, 41; *rotundifolium*, 13, 19, 34, 36, 39, **41 (lectotypification),** 42, 43, 45, 46, 48; *rufum*, 42, 51; *ruizii*, 42; *ruryi*, 42; *santosii*, 42; *sativum*, 52; *schomburgkii*, 42, 48; *schunkei*, 42; *sessiliflorum*, 41, 43; *shatona*, 43; *simonis*, 43; *skutchii*, 29, 32, 43; *speciosum*, 19, 40, **43 (lectotypification)**; *spinescens*, 9, 43; *splendidum*, 43; *spruceanum*, 44; *squamatum*, 6, 7, 48; *squamatum* var. *emarginatum*, 44, 50; *squamatum* var. *microcarpum*, 44; *squamatum* var. *orinocense*, 44; *squarrosum*, 51; *steyermarkii*, 44; *stipulosum*, 44; *striolatum*, 19, 43, 45; *strobilaceum*, 45, 51;

suave, 41, 45; **suave var. aneurum, 41, 45 (lectotypification)**; *suave* var. *compactum*, 13, 41, 45; **suave var. jamaicense, 42, 45 (lectotypification)**; *suave* var. *pachycladum*, 42; *subcordatum*, 52; *suberosum*, 5, 10, 39, 46, 48; *suberosum* f. *oblongifolium*, 51; *suberosum* var. *brevipetiolatum*, 46; *suberosum* var. *denudatum*, 41, 46; *subglaucescens*, 47; *subracemosum*, 47; *subrotundifolium* 19; *subrotundum*, 47, 51, 52; *subsessile*, 47; *substriatum*, 47; *surinamense*, 52; *tabascense* 28, 47; *tenue*, 8; *tessmannii*, 47, 49; *testaceum*, 46–48; *tianguanum*, 48; *tikalense*, 48; **tortuosum, 48 (lectotypification)**; *trinerve*, 44, 48; *trollii*, 48; *truxillense*, 48; *tucuruiense*, 49; *ulei*, 48–50; *undulatum*, 49; *uniflorum*, 36, 49; *urbanii*, 49; *urbanii* var. *confertifolium*, 49; *utile*, 40, 50; *vaccinifolium*, 4, 30, 31, **50 (lectotypification)**, 51; *vaginatum*, 50; *vasquezii*, 50; *venosum*, 49, 50; *venezuelense*, 32, 50; *vernicosum*, 44, 48, 50; *vernicosum* var. *oreophilum*, 35, 50; *verruculosum*, 9, 38, 51; *virgultosum*, 51; *warmingii*, 45, 51; *williamsii*, 51; *zehntneri*, 28, 51

Essig, Frederick B. & Louisa Litten, A systematic histological analysis of palm fruits VII. The Cyrtostachydinae (Areaceae), 375–379

Estrada-C., A. Eduardo, José A. Villarreal-Q. & Martha González-E.: A new species of *Dalea* sect. *Parosela* (Fabaceae: Amorpheae) from Mexico, 67–71

Euphorbiaceae, 353

Eutrema, 238, 239; *edwardsii*, 239; *pendlandii*, 238, 239

Exarata, 215

Fagaceae, 136

Farrar, Donald R., 209

Fernandeszia graminifolia, 65

ferns, 115

Fiaschi, Pedro, *Schefflera aurata*, a new species of Araliaceae from southern Bahia, Brazil, 357–360

Ficus, 54; subgen. *Urostigma*, 54; *celebensis*, 54; *cordata*, 54; *pallida*, 54, 56; **salicaria, 54**–57; *salicifolia*, 54; *schumacheri*, 54, 56

Fractiunguis, 65; *brasiliensis*, 64, 65; *reflexa*, 65

García-Villacorta, Roosevelt & Barry E. Hammel: A noteworth new species of *Tovomita* (Clusiaceae) from Amazonian white sand forests of Peru and Colombia, 132–135

Garryales, 275

Gentry, Alwyn H., 311

Gigliola, 378

Gilmania, 300, 301

Gluta, 170

Gobsoniothamnus, 212–237; key to species, 216; *alatus*, 214, 216–218, 234, 236: *allenii*, 213, 215, 216, 218–220, 222, 224, 235, 236; *cornutus*, 215, 216, 220–223, 227, 231, 236; *cornutus* var. *cornutus*, 220, 224; *cornutus* var. *latidentatus*, 227; *epiphyticus*, 215, 216, 222–225, 231; *grandiflorus*, 213–216, 218, 225–227, 230; *latidentatus*, 213, 216, 218, 220, 222, 227–229, 235; *mimicus*, 220; *mirificus*, 213, 216, 220, 227–231, 235; *parviflorus*, 214–216, 218, 224, 230–232; *pithecobius*, 220; *pterocalyx*, 214, 222, 223, 231; *stellatus*, 214, 216, 218, 231, 233–235; *truncatus*, 213, 215, 216, 218, 227, 234, 235; *versicolor*, 215, 216, 231, 235–237

Gonçalves, Eduardo G. & Livia G. Temponi: A new *Monstera* (Araceae: Monsteroidese) from Brazil, 72–74

González-E., Martha: *see* A. E. Estrada-C.

Goodmania, 300, 301

Graptopetalum, 185–194; sect. *Byrnesia*, 186; sect. *Graptopetalum*, 186; *amethystinum*, 187, 190, 191; *bartramii*, 187, 191, 192; *craigii*, 186, 187, 191; *filiferum*, 187, 191, 192; *fruticosum*, 187, 191–193; *glassii*, 187, 190–193; *grande*, 186, 187, 190–193; *macdougalii*, 186, 187, 191–193; *marginatum*, 187, 190–192; *mendozae*, 186, 187, 191–193; *mexicanum*, 193; *occidentale*, 187, 191, 192; *pachyphyllum*, 186, 187, 191; *paraguayense*, 186, 187, 190, 191, 193; *paraguayense* subsp. *bernalense*, 186; *paraguayense* subsp. *paraguayense*, 186; *pentandrum*, 186, 187, 191–193; *pentandrum* subsp. *superbum*, 187; *pusillum*, 187, 191,192; *rusbyi*, 186, 187, 190–192; *saxifragoides*, 187, 190–192; *suaveolens*, 186, 187, 191; *superbum*, 187, 191, 192

Griselinia, 275; *littoralis*, 276, 278, 281

Griseliniaceae, 275

Gronophyllum, 378

Guanchezia maguirei, 382

Guerrero, Angela, Walter S. Judd & Ashley B. Morris, A new species of *Illicium* subsection *Parviflora* (Illiciaceae) from the Massif de la Hotte, Haiti, 346–352

Gulubia, 378

Haiti, 347

Hammel, Barry E.: *see* R. García-Villacorta

Helleriella, 58, 59, 63

Hensold, Nancy: *see* T. Plowman

Herbertia, 361; key to species, 363; *amatorum*, 361; *brasiliensis*, 361; **crosae, 361**–364; *hauthalii*, 361; *lahue*, 361, 363; *lahue* subsp. *amoena*, 362; *lahue* subsp. *caerulea*, 361; *pulchella*, 361, 363; *quaerimana*, 361–363; *tigridioides*, 361, 363;

Hermanowski, Bettina Luisa, 212

Heteropterys, 143; ser. *Metallophyllis*, 143; *alternifolia*, 144, 146; **andersonii, 143**–146; *arenaria*, 144; *chrysophylla*, 144; *coleoptera*, 144, 146; *macrostachya*, 144; *nitida*, 144; *sericea*, 144

Hexadesmia, 58, 59, 61, 62, 64; *fasciculata*, 65; *micrantha*, 59

Hexisea, 58–61, 64, 65; *bidentata*, 59, 64; *imbricata*, 59, 60, 62, 64; *reflexa*, 64

Hollisteria, 301

Holmgren, Arthur H., 241, 242

Holmgren, Noel H.: *Nevada*, a new genus for *Smelowskia holmgrenii* (Brassicaceae), 238–245; A new variety of *draba pedicellata* and a lectotype for *D. cusickii* (Brassicaceae), 107–114; Noel H. Holmgren & Patricia K. Holmgren: Lectotypification of a name and a new combination in Nort American *Mentzelia* (Loasaceae), 249–251; Noel H. Holmgren & Patricia K. Holmgren: Lectotypification of ten names of North American taxa in Clusiaceae, Elatinaceae, Ericaceae, Primulaceae, and Violaceae, 252–254

Holmgren, Patricia K.: Lectotypifications and a new combination in western North American Cleomaceae, 103–106; *see* N. H. Holmgren

Homalopetalum, 59, 63

Howell, John Thomas, 299

Hydriastele, 378

Hylaeorchis petiolaris, 343
Hypagophytum, 193
Hypericum anagalloides, 252; **tapetoides, 252 (lectotypification)**
Iguanura, 375
Illiciaceae, 346
Illicium 346; sect. *Cymbostemon*, 346; sect. *Cymbostemon* subsect. *Parviflora*, 346,. 349; sect. *Illicium*, 346; *cubense*, 346, 349, 351; *ekmanii*, 346, 349–351; *floridanum*, 349, 350; **hottense,** 346, **346**–352; *mexicanum*, 349, 350; *parviflorum*, 346, 349–351
Iridaceae, 361; Tigridieae, 128
Isochilus, 59, 63
Jacques, Eliane de Lima & Maria Candida Henrique Mamede: Novelties in*Begonia* (Begoniaceae) from the coastal forests of Brazil, 75–81
Jacquiniella, 58, 59; *globosa*, 60, 62
Johanneshowellia, 299–306; **crateriorum,** 300, 302, **304**–306; **puberula,** 300, **302**–304
Judd, Walter S.: *see* A. Guerrero; *see* D. S. Penneys; Walter S. Judd, Darin S. Penneys & James D. Skean, Jr.: Rediscovery of *Ossaea alloeoticha*, an endemic of the high-elevation Maddif de la Hotte, Haiti, and its transfer to *Miconia* (Melastomataceae: Miconieae), 159–165
Kadsura japonica, 349
Kelissa brasiliensis, 361
Koehler, Samantha & Maria do Carmo Estanislau do Amaral, A taxonomic study of the South American genus *Bifrenaria*, Lindl. (Orchidaceae), 314–345
Lamiales, 215
Leandra, 162; *alloeotricha*, 160
Leaoa, 58, 65; *monophylla*, 65
Lehnert, Marcus: *Cyathea bettinae* (Cyatheaceae), a new tree fern from Bolivia, 210–212
Lellinger, David B., 86, 123
Lesquerella confluens, 247; *hemiphysaria*, var. *lucens*, 247; *hitchcockii* subsp. *confluens*, 247; *kaibabensis*, 247; *kingii* var. *cobrensis*, 247
Lindleyella (nom. illeg.), 314
Litten, Louisa: *see* F. B. Essig
Loasaceae
Lomariopsidaceae, 205
Lomariopsis, 205; ×**farrarrii** (natural hybrid), 205, **208,** 209; *japurensis*, 205–209; *sorbifolia*, 207; *vestita*, 205–209
Lombardi, Julio AntonioL *Cissus xerophila* (Vitaceae), a new species from the xerophytic vegetation of northeastern Minas Gerais, Brazil, 288–290
Lorea, Francisco G.: *see* R. Acevedo-Rosas
Loxococcus, 378
Lycaste tetragona, 338; **trianthina, 338 (neotypification); witthingii, 341 (neotypification)**
Lycianthes, 214
Malouetia, 307; **amazonica, 307**–309; *calva*, 309; **gentryi, 310,** 311; *gracilis*, 313; **pumila, 311**–313
Malpighiaceae, 143
Mamede, Maria Candida Henrique: *see* E.de L. Jacques
Mangifera, 170
Maxillaria atropurpurea, 319; **aureofulva, 320 (lectotypification),** 323; *harrisoniae*, 327; *harrisoniae* var. *angustior*, 327; **parvula, 343 (lectotypification)**; *racemosa*, 334; **tetragona,** 320, 337, **338 (lectotypification); vitellina, 341 (lectotypification)**
Melastaomataceae, Miconeae, 151, 159
Mentzelia, 249–251; *argillosa*, 251; *cronquistii*, 249; *integra*, 249, 250; *lobata*, 250; *marginata*, 249; **marginata var, cronquistii, 249;** *multiflora*, 251; **multiflora var. integra,** 250, **251 (lectotypification)**; *pterosperma*, 251; *pumila* var. *integra*, 249
Mexico, 67, 98, 115, 117, 128, 137
Mickel, John T.: *Athyrium tejeroi* Mickel, a renaming of *Athyrium tripinnatum* Mickel & Tejero, 199; John T. Mickel & J. Daniel Tejero-Díez: Three new species of ferns (Woodsiaceae and Polypodiaceae) from Mexico, 115–120; *see* R. C. Moran
Miconia, sect. *Chaenopleura*, 159, 162; sect. *Cremanium*, 159m 162, 164; *abeggii*, 164; **alloeotricha,** 159, **160**–164; *apiculata*, 163, 164; *bullata*, 162; *chionophila*, 162; *coccinea*, 164; *desportesii*, 162, 163; *favosa*, 162; *foveolata*, 162; *howardiana*, 162; *laevigata*, 164; *monciona*, 162, 163; *nematophora*, 164; *niedenzuana*, 164; *prasina*, 164; *pteropoda*, 164; *pycnoneura*, 162; *pyramidalis*, 164; *sphagnicola*, 162, 163; *splendens*, 164; *tetrandra*, 162–164; *tetrastoma*, 162, 163; *xenotricha*, 162
Monstera, 73; *obliqua*, 72, 74 **praetermissa, 72**–74; *xanthospatha*, 74
Moraceae, 54
Moran, Robbin C. & John T. Mickel: Three new neotropical species of *Elaphoglossum* (Elaphoglossaceae) with subulate scales, 200–204; Robbin C. Moran & Michael A. Sundue: *Asplenium* (sect. *Hymenasplenium*) *basicscopicum*, a new species from Bolivia, 124–127; Robbin C. Moran & James Edward Watkins, Jr.: *Lomariopsis* ×*farrarrii*: a new hybrid fern between *L. jaurensis* and *L. vestita* (Lomariopsidaceae) from Costa Rica, 205–209
Morris, A. B., *see* A. Guerrero
Mucronea, 300
Myoporaceae, 215
Nageliella, 59, 63
Nemacaulis, 300, 301
Nemexia, 166, 167; *cerulea*, 166
Nenga, 375, 378
Neuroloma rydbergii, 247
Nevada, 238–**240,** 241–244; **holmgrenii,** 238–240, **241**–243
Nixon, K. C.: *see* M. L. Vázquez
Nuttallia cronquistii, 249; *integra*, 249; *marginata*, 249
Orchidaceae, 58, 260, 314; Coelogynineae, 63; Epidendroideae tribe Maxillarieae, 314; Laeliinae, 58, 64; Ponerinae, 59;
Ossaea alloeotricha, 159, 160, 162, *lima*, 162
Otochilus, 63
Oxytheca, 300, 301
Pacheco, Letitia: A new species of *Diplazium* (Woodsiaceae) from Ecuador, 121–123
Pachyphytum, 187, 193; *viride*, 187, 191
Pachystele, 58, 59, 61, 63–65; *densa*, 65; *jimenzii*, 65
Parrya nudicaulis subsp. *rydbergii*, 247; **nudicaulis** var. **rydbergii, 247**; *platycarpa*, 247; *rydbergii*, 247
Passiflora, 89; *subgen.* Passiflora ser. *Passiflora* (=*Incarnatae*), 94; subgen. *Tasconioides*, 94; **contracta,**

89–92; *hypoglauca,* 92–94; *leutzelburgii* 92–94; *ovalis,* 89, 91; *trintae,* 94
Passifloraceae, 89
Penneys, Darin S.: *see* W. S. Judd; *Darin S. Penenys* & Walter S. Judd: Two new species of *Charianthus* (Melastomataceae) fro, the Lesser Antilles, 151–158;
Pentspadon, 170
Peru, 132, 255, 258, 310
Pholidota, 63
Physaria cobrensis, 247; *hemiphysaria* subsp.*lucens,* 247; **hemiphysaria var. lucens, 247**; **hitchcockii var. confluens, 247**; *kaibabensis,* 247; *kingii* subsp. *cobrensis,* 247
Pilocarpus, alatus, 149; *microphyllus,* 149; **trifoliolatus, 147**
Pinanga, 378
Pirani, José Rubens: *see* L. A. Skorupa
Pistacia, 170
Platyglottis, 58, 61, 63, 65; *coriacea,* 60, 62–65
Plowman, Timothy & Nancy Hensold: Names, types, and distribution of neotropical species of *Erythrroxylum* (Erythroxylaceae), 1–53
Polyctenium, 239; *fremontii,* 239; *williamsiae,* 239
Polygonaceae, 295, 299; Eriogonoideae, 295, 299, 300; Eriogonoideae tribe Eriogoneae, 301; Eriogonineae, 301
Polypodiaceae, 115
Polypodium, dulce, 119; *fraternum,* 119; *pleiosporum,* 117, 119; **praetermissum, 117**–119; *subpetiolatum,* 119
Ponera, 59, 63
Pottiaceae, 291
Pourouma, 255; *bolivariensis,* 258; **cordata, 255**–258; *cucura,* 259; *herrerensis,* 258; *melinonii,* 258, 259; *minor,* 258; *mollis* subsp. *mollis,* 258; **montana,** 257, **258,** 259; *tomentosa,* 255, 257; *villosa,* 258
Prado, Jefferson: *see* A. R. Smith
Primulaceae, 252, 253
Pseudohexadesmia, 59
Pseudomodingium, 169–184; *andreuxii,* 171, 173–178, 180; *barkleyi,* 171, 173–178, 180, 183; *mirandae,* 171, 173–176, 180, 181, 183; *multiflorum,* 173, 175, 176, 179–181, 183; *pernicosum,* 171, 173–177, 180, 181, 184; *rhoifolium,* 171, 173–177, 180, 184; *terrazasiae,* 171, 174–176, 180, 184; *virlettii,* 171, 173–180, 183, 184
Pteris, 82; *angustata,* 86, 87; *boliviensis,* 84, 86; *deflexa,* 87; *lechleri,* 86; **lellingeri, 84**–86; *livida,* 86; **venezuelensis,** 85, **86,** 87; **websteri,** 85, **86,** 87
Quercus sect. *Lobatae,* 136; **depressa,** 137, **141,** 142; *eduardii,* 137, 140; *hintoniorum,* 137, 140; **hirtifolia, 137**–141; *hypoxantha,* 137, 140; *laurina,* 137; *subavenia* 141
Ramonia, 65; *pulchella,* 65
Raphithamnus, 215
Redden, Karen (Barneby Award recipient), 199
Reichenbachanthus, 58, 59, 61–65; *cuniculatus,* 60, 62; *emarginatus,* 64; *modestus,* 64, 65; *refexus,* 60, 62
Reveal, James L., *Johanneshowellia* (Polygonaceae: Eriogonoideae), a new genus from the Intermountain West, 299–306; James L. Reveal & Curtis R. Björk, *Eriogonum soliceps* (Polygonaceae: Eriogonoideae), a new species from east-central Idaho and southwestern Montana, 295–298
Rhus, 170, 171, 173–176; *schiedeana,* 171, 184
Roitman, G. G. & A. Castillo, A new species, *Herbertia crosae* (Iridaceae) from Uruguay, 361–364
Rudolfiella, 314, 315; *bicornaria,* 343; *floribunda,* 343; *hadwenii,* 343; *lindeniana,* 343; *picta,* 343; *sabulosa,* 331; *saxicola,* 343
Rutaceae, 147; tribe Galipeae subtribe Pilocarpinae, 147
Sagraea, 162
Sapindales, 169
Sarraceniaceae, 282
Scaphyglottis, 58–66; DNA sequencing, 58; *amparoana,* 60, 62, 64; *arcata,* 59, 60, 62, 64; *aurea,* 64; *behrii,* 60, 62; *bilineata,* 60, 62; **brasiliensis, 64,** 65; *chlorantha,* 60–62; *confusa,* 60–62; *corallorrhiza,* 60–62; **coriacea, 64;** *cruccigera,* 60–62; *densa,* 60–62; **emarginata, 64**; *fasciculata, 61; fusiformis,* 60, 62; *geminata,* 60, 62, 64; *gentryi,* 59–62, 64; *gigantea,* 60, 62, 64; *graminifolia,* 58, 60, 62–65; *jimenezii,* 60–62, 64; *leucantha,* 60, 62; *lindeniana,* 60–62, 65; *livida,* 60, 62, 65; *longicaulis,* 60, 62; *mesocopis,* 60, 62; *micrantha,* 60–62; *minutiflora,* 60, 62; *modesta,* 60, 62; *monspirrae,* 63; *pachybulbon,* 60–62; *prolifera,* 60, 62; *pulchella,* 60, 62; *punctulata,* 60, 62, 63; *reflexa,* 64; *sigmoidea,* 59, 60, 62, 64; *spathulata,* 60, 62; *stellata,* 60, 62;
Schefflera, 357; **aurata, 357**–360; *morototoni,* 357, 359; *morototoni* var. *sessiliflora,* 359; *selloi,* 357, 359
Schinus, 170
Schisandraceae, 349
Schlegelia, 214, 215, 221, 227, 235; *cornuta,* 220, 222
Schlegeliaceae, 213, 215
Schneider, Edward L. & Sherwin Carlquist: Pit remnants in perforation plates and other vessel details of Cornales, 275–284
Scrophulariaceae, 213, 215
Scuticaria hadwenii, 343
Secco, Ricardo de, *Croton dissectistipulatus,* a new species of Euphorbiaceae from Amazonian Brazil, 353–356
Sedum, 186, 187, 192, 193; *corynephyllum* 187, 191; *palmeri,* 187, 191
Schiavone, M. Magdalena: *see* C. Delgadillo M.
Sidotheca, 301
Siphokentia, 378
Sisymbrium brachycarpon var. *filipes,* 246; *brachycarpon* var. *intermedium,* 245; *incisum* var. *filipes,* 246; *intermedium,* 246
Skean, James D. Jr.: *see* W. S. Judd
Skorupa, Ladislau Araüjo & José Rubens Pirani: A new species of *Pilocarpus* (Rutaceae) from northern Brazil, 147–150
Smelowskia, 238, 239; *calycina,* 239; *calycina* var. *integrifolia,* 239; *calycina* var. *porsildii,* 239; *holmgrenii,* 238, 240, 242
Smilacaceae, 166
Smilax, herbacous species, 166–168; subgen. *Coprosmanthus,* 166, 167; subgen. *Luiste,* 166, 167; subgen. *Nemexia,* 167; sect. *Coprosmanthus,* 167; sect. *Nemexia,* 167; *farinosa,* 166; *herbacea,* 166; *pseudo-china,* 166

Smith, Alan R. & Jefferson Prado: New species in *Adiantum* and *Pteris* (Pteridaceae) from the Andes, 82–88
Smodingium, 169–184; *andrieuxii*, 170; *argutum*, 170, 171, 177, 184
Solanaceae, 284
Solanum, 284; subgen. *Leptostemonum*, 284, 287; sect. *Melanogena* subsect. *Lathyrocarpum*, 286; *elaeagnifolium*, 286, 287; **homalospermum, 284**–287; *juvenile*, 286, 287; *mortonii*, 286
Sophia intermedia, 245, 246 (lectotypification)
Sosa, Vicotoria: *see* C. Aguilar-Ortigoza, R. Acevedo-Rosas
Spondias, 170, 171, 174–176, 180; *purpurea*, 171, 184
Stachytarpheta, 215
Stenocereus, 96, 99; *fricii*, 96, 99; *griseus*, 99; *pruinosus*, 99; *quevedonis*, 99; *stellatus*, 99; **zopilotensis**, 96, **97**–100
Stenocoryne, 314–316, 318; *aureofulva*, 320; *charlesworthii*, 325; **clavigera, 325 (lectotypification)**; *inodora*, 328; *leudorrhoda*, 330; *leucorrhoda* var. *macaheensis*, 330; *longicornis*, 314, 318, 331; *melanopoda*, 343; *racemosa*, 334; *secunda*, 320, 321; *villosula*, 325; *vitellina*, 341; *wendlandiana*, 325, 327
Stenogonum, 300, 301
Steudelia brasiliensis, 46
Streptanthus pilosus, 245
Sundue, Miachael A.: *see* R. C. Moran
Swietenia, 171, 173–176, 180; *humilis*, 171, 184
Synapsis, 215
Systenotheca, 300
Tacitus, 187, 193; *bellus*, 186, 187, 191, 193
Tapirira, 170
Tejero-Díez, J. Daniel, *see* J. T. Mickel; 199
Temponi, Livia G.: *see* E. G. Gonçalves
Terrazasm Teresa: *see* H. J. Arreola-Nava
Tetragamestus, 59, 63–65; *aurea*, 65; *modestus*, 65
Tetragastris catuaba, 52
Teuscheria pickiana, 343; *wageneri*, 344
Thelypodium 238 *integrifolium* subsp. *longicarpum*, 247; **integrifolium var. longicarpum**m 247
Thompsonella, 187, 193; *minutiflora*, 187, 191, 193
Tigridia, 128; subgen. *Hydrotaenia*, 131; sect. *Tigridia*, 131; **amatlanensis, 128**–131; *catarinensis*, 130, 131; *hallbergii*, 130; *hallbergii* subsp. *hallbergii*, 130, 131; *meleagris*, 130; *molseediana*, 130, 131
Tortula calceolifolia, 291
Touterea integrifolia, 249
Tovomita, 132; **calophyllophylla, 132**–135; *spruceana*, 134; *wedelliana*, 134
Toxicodendron, 170, 171, 173–176, 180; *radicans*, 171, 184
Trichosalpinx, 63
Turritis brachycarpa, 245; *drummondii* var. *brachycarpa*, 245
United States of America, Florida, 54; Idaho, 295; Nevada, 113, 241, 304
Uruguay, 361
Uva-ursi patula, 253
Vaccinium globulare, 253 (lectotypification); *membranaceum*, 253; **occidentale, 253 (lectotypification)**; *oreophilum*, 253; *uliginosum* subsp. *occidentales*, 253
Valencia A., S.: *see* M. L. Vázquez
Vázquez, M. Lucia, S. Valencia A. & K. C. Nixon: Notes on red oaks (*Quercus* sect. *Lobatae*) in eastern Mexico, with description of a new species, *Quercus hirtifolia*, 136–142
Venezuela, 86
Verbena, 215
Verbenaceae, 213, 215
Villarreal-Q., José A.: *see* A. E. Estrada-C.
Viola adunca, 254; *beckwithii*, 253; **beckwithii var. cachensism, 253 (lectotypification)**; **cognata, 253 (lectotypification); montanensis**, 253, **254**; *nephrophylla* var. *cognata*, 253
Violaceae, 252, 253
Vitaceae, 288
Vitta, Fabio A. & Luis C. Bernacci: A new species of *Passiflora* in section *Tetrastylis* (Passifloraceae) and two overlooked species of *Passiflora* from Brazil, 89–95
Watkins, James Edward, Jr.: *see* R. C. Moran
Webster, Grady, 88
Whitten, W. Mark: *see* R. L. Dressler
Wilbur, Robert L.: The subgeneric nomenclature for the herbarceous-stemmed *Smilax* species (Smilacaceae) of North America, 166–168
Williams, Norton H.: *see* R. L. Dressler
Williams, Roger L., An intellectual biography of Elie-Abel Carriée (1818–1896), 365–374
Woodsiaceae, 121
Xylobium, 344; *steyermarkii*, 343, 344